


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9422
LDD 7/ Bsw
Cap.Domestic wool: Weekly average prices at Boston, 1940
(Cents per pound)
Scoured basis

| Week ended | Semi-bright fleece 1/ | | | | | | Bright fleece 2/ | | | | | |
|------------|-----------------------|------------|-----------|------------|-----------|------------------|------------------|---------|------------|-----------|------------|------|
| | 64's, 70's, 80's | 58's, 60's | 56's | 48's, 50's | 46's | 64's, 70's, 80's | 58's, 60's | 56's | 48's, 50's | 46's | 36's, 40's | |
| | Fine | Fine | 1/2 blood | 3/8 blood | 1/4 blood | Low | Fine | Fine | 1/2 blood | 3/8 blood | 1/4 blood | |
| | combing | clothing | combing | combing | combing | combing | combing | combing | combing | combing | combing | |
| | (Staple) | : | : | : | : | (Delaine) | : | : | : | : | : | |
| Jan. | 6 | 104.0 | 94.5 | 93.0 | 81.0 | 76.5 | 76.0 | 106.5 | 94.5 | 95.5 | 84.0 | 80.0 |
| | 13 | 104.0 | 94.5 | 93.0 | 81.0 | 76.5 | 76.0 | 106.5 | 94.5 | 95.5 | 84.0 | 80.0 |
| | 20 | 103.0 | 92.0 | 92.0 | 80.0 | 76.5 | 74.0 | 104.5 | 93.5 | 95.0 | 82.0 | 78.5 |
| | 27 | 101.5 | 91.5 | 91.5 | 79.0 | 73.0 | 71.5 | 104.0 | 93.5 | 94.0 | 81.0 | 77.5 |
| Feb. | 3 | 99.0 | 89.0 | 89.0 | 78.0 | 71.0 | 70.0 | 100.5 | 91.0 | 90.5 | 79.0 | 74.0 |
| | 10 | 97.0 | 86.5 | 87.0 | 78.0 | 71.0 | 70.0 | 99.0 | 89.0 | 89.0 | 79.0 | 74.0 |
| | 17 | 97.0 | 86.5 | 87.0 | 78.0 | 71.0 | 70.0 | 99.0 | 89.0 | 89.0 | 79.0 | 74.0 |
| | 24 | 97.0 | 86.5 | 87.0 | 78.0 | 71.0 | 70.0 | 97.5 | 89.0 | 89.0 | 79.0 | 74.0 |
| Mar. | 2 | 96.5 | 86.5 | 87.0 | 76.5 | 71.0 | 70.0 | 97.5 | 89.0 | 89.0 | 78.0 | 73.0 |
| | 9 | 93.0 | 85.0 | 86.0 | 74.0 | 70.5 | 70.0 | 93.5 | 86.5 | 86.5 | 74.5 | 71.0 |
| | 16 | 91.0 | 83.5 | 86.0 | 74.0 | 70.5 | 70.0 | 92.0 | 85.0 | 87.0 | 74.5 | 71.0 |
| | 23 | 87.5 | 80.0 | 82.5 | 69.0 | 64.5 | 66.0 | 66.0 | 64.5 | 64.5 | 70.5 | 65.5 |
| | 30 | 87.5 | 80.0 | 82.5 | 69.0 | 64.5 | 66.0 | 66.0 | 64.5 | 64.5 | 71.0 | 65.0 |
| Apr. | 6 | 87.5 | 80.0 | 82.5 | 68.5 | 63.5 | 64.0 | 64.0 | 63.5 | 63.5 | 69.0 | 63.5 |
| | 13 | 84.0 | 75.5 | 79.0 | 68.5 | 63.5 | 61.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 20 | 84.0 | 75.5 | 79.0 | 68.5 | 63.5 | 61.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 27 | 84.0 | 75.5 | 79.0 | 68.5 | 64.0 | 61.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| May | 4 | 84.0 | 75.5 | 79.0 | 68.5 | 64.0 | 63.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 11 | 84.0 | 75.5 | 79.0 | 68.5 | 64.0 | 63.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 18 | 84.0 | 75.5 | 79.0 | 69.0 | 65.0 | 63.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 25 | 84.0 | 75.5 | 79.0 | 69.0 | 65.0 | 63.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| June | 1 | 84.0 | 75.5 | 79.0 | 69.0 | 65.0 | 63.0 | 86.0 | 76.5 | 80.0 | 84.0 | 70.5 |
| | 8 | 86.0 | 76.5 | 80.0 | 70.5 | 67.0 | 64.0 | 87.5 | 78.5 | 81.5 | 71.5 | 66.5 |
| | 15 | 86.0 | 79.5 | 80.0 | 71.5 | 69.0 | 66.5 | 87.5 | 80.5 | 81.5 | 73.5 | 67.5 |
| | 22 | 86.0 | 81.0 | 81.0 | 71.0 | 70.0 | 88.5 | 81.5 | 83.5 | 77.5 | 73.0 | 66.5 |
| | 29 | 86.0 | 81.5 | 81.5 | 70.0 | 70.0 | 88.5 | 81.5 | 83.5 | 76.5 | 71.0 | 66.5 |

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa and Missouri. Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage.

Agricultural Marketing Service,
U. S. Department of Agriculture

9422
SDY/BswDomestic wool: Weekly average prices at Boston, 1940
(Cents per pound)

Scoured basis

LIBRARY
RECEIVED

★ NOV 25 1943 ★

| Week ended | Semi-bright fleece 1/ | | | | Bright fleece 2/ | | | |
|------------|-----------------------|------------|--------------------------------------|---------|------------------|--------------------------------------|------------------|---|
| | 64's, 70's, 80's | 58's, 60's | 56's, 48's, 50's | 46's | 64's, 70's, 80's | 58's, 60's | 56's, 48's, 50's | 46's |
| Aug. 3 | Fine | Fine | 1/2 blood: 3/8 blood: 1/4 blood: Low | Fine | Fine | 1/2 blood: 3/8 blood: 1/4 blood: low | Fine | 1/2 blood: 3/8 blood: 1/4 blood: Common and |
| | combing | clothing | combing | combing | combing | combing | combing | combing |
| | (Staple) | | | | | | | |
| | | | | | | | | |
| July 6 | 86.0 | 81.5 | 81.5 | 76.0 | 70.0 | 88.5 | 81.5 | 83.5 |
| 13 | 86.0 | 81.5 | 81.5 | 75.0 | 69.0 | 70.0 | 88.5 | 81.5 |
| 20 | 85.0 | 78.0 | 81.0 | 73.5 | 68.0 | 70.0 | 86.5 | 79.0 |
| 27 | 85.0 | 78.0 | 81.0 | 73.5 | 68.0 | 70.0 | 86.5 | 79.0 |
| | | | | | | | | |
| Aug. 10 | 85.0 | 78.0 | 81.0 | 73.5 | 68.0 | 70.0 | 86.5 | 79.0 |
| 17 | 86.0 | 79.0 | 81.0 | 73.5 | 68.0 | 70.0 | 88.0 | 80.5 |
| 24 | 86.0 | 79.0 | 81.0 | 73.5 | 68.0 | 70.0 | 88.0 | 80.5 |
| | | | | | | | | |
| Sept. 31 | 87.5 | 82.0 | 82.0 | 82.5 | 75.5 | 71.5 | 89.5 | 82.5 |
| 7 | 87.5 | 82.0 | 82.5 | 75.5 | 71.5 | 71.0 | 90.0 | 82.5 |
| 14 | 87.5 | 82.0 | 82.5 | 75.5 | 71.5 | 71.0 | 91.5 | 83.5 |
| | | | | | | | | |
| Oct. 21 | 89.0 | 83.0 | 83.0 | 75.5 | 75.5 | 71.5 | 91.5 | 84.0 |
| 28 | 91.5 | 86.5 | 86.0 | 78.5 | 74.0 | 73.0 | 93.5 | 87.0 |
| | | | | | | | | |
| Oct. 5 | 96.0 | 89.5 | 87.0 | 80.5 | 74.5 | 73.0 | 98.5 | 90.5 |
| 12 | 97.0 | 89.5 | 87.0 | 80.5 | 75.5 | 73.0 | 100.0 | 90.5 |
| | | | | | | | | |
| Nov. 19 | 106.0 | 95.5 | 97.5 | 83.5 | 78.0 | 75.5 | 106.5 | 96.5 |
| 26 | 106.0 | 97.5 | 97.5 | 86.0 | 80.5 | 75.5 | 111.0 | 99.5 |
| | | | | | | | | |
| Nov. 9 | 106.0 | 97.5 | 97.5 | 86.0 | 80.5 | 76.5 | 109.5 | 99.5 |
| 16 | 106.0 | 97.5 | 97.5 | 86.0 | 80.5 | 76.5 | 109.5 | 99.5 |
| | | | | | | | | |
| Dec. 7 | 106.0 | 97.5 | 97.5 | 85.0 | 79.0 | 76.5 | 109.5 | 99.5 |
| 14 | 106.0 | 97.5 | 97.5 | 82.5 | 76.5 | 112.5 | 99.5 | 100.5 |
| | | | | | | | | |
| 30 | 106.0 | 97.5 | 97.5 | 86.0 | 80.5 | 76.5 | 112.5 | 99.5 |
| | | | | | | | | |
| Dec. 7 | 106.0 | 97.5 | 97.5 | 85.0 | 79.0 | 76.5 | 112.5 | 99.5 |
| 14 | 106.0 | 97.5 | 97.5 | 82.5 | 76.5 | 112.5 | 99.5 | 100.5 |
| | | | | | | | | |
| 21 | 106.0 | 97.5 | 97.5 | 82.5 | 76.5 | 112.5 | 99.5 | 100.5 |
| 28 | 106.0 | 97.5 | 97.5 | 82.5 | 76.5 | 112.5 | 99.5 | 100.5 |


U.S. Department of Agriculture

Agricultural Marketing Service,
U.S. Department of Agriculture.

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the land areas of the

Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa and Missouri.

2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their light shrinkage.



9422
8D71B5w
sp./Domestic wool: Weekly average prices at Boston, 1940
(Cents per pound)
Scoured Basis

| Week ended | 64's, 70's, 80's | | | 58's, 60's | | | 56's | | | 48's, 50's: | | | 46's : 36's, 40's: | | | 44's : Combing : combing : French | | | Fine Texas 2/(Original Receipt) of Agriculture | | |
|------------|------------------|---------|----------|------------|----------|---------|--------|----------|---------|-------------|--------------------------------------|---|------------------------|-----------------------|----------|-----------------------------------|-----------------|------|--|--|--|
| | Fine | combing | (Staple) | Fine | clothing | combing | French | clothing | combing | French | 1/2 blood: 1/2 blood: 1/4 blood: Low | 1/2 blood: 3/8 blood: 1/4 blood: Common | 1/4 blood: (12 months) | 1/4 blood: (8 months) | Clotting | (Fall) | ★ NOV 25 1943 ★ | | | | |
| Jan. | 106.0 | 106.0 | 106.0 | 100.0 | 93.5 | 93.5 | 99.0 | 94.0 | 89.0 | 84.0 | 81.0 | 81.0 | 79.0 | 76.5 | 100.5 | 88.0 | 73.5 | | | | |
| | 13 | 106.0 | 106.0 | 100.0 | 93.5 | 93.5 | 99.0 | 94.0 | 89.0 | 84.0 | 81.0 | 81.0 | 79.0 | 77.0 | 75.0 | 100.5 | 88.0 | 73.5 | | | |
| | 20 | 106.0 | 106.0 | 100.0 | 93.5 | 93.5 | 97.0 | 92.0 | 88.0 | 83.0 | 79.0 | 77.0 | 75.0 | 75.5 | 98.5 | 100.5 | 86.0 | 71.0 | | | |
| Feb. | 27 | 104.0 | 97.5 | 91.0 | 95.0 | 95.0 | 95.0 | 91.0 | 87.0 | 82.0 | 76.5 | 75.5 | 74.5 | 71.5 | 98.5 | 86.0 | 71.0 | | | | |
| | 3 | 101.5 | 95.5 | 89.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.0 | 71.0 | 96.5 | 84.0 | 71.0 | | | | |
| Mar. | 10 | 99.0 | 92.5 | 87.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.0 | 71.0 | 95.0 | 81.0 | 69.5 | | | | |
| | 17 | 99.0 | 92.5 | 87.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.5 | 71.0 | 92.5 | 80.0 | 68.5 | | | | |
| | 24 | 99.0 | 92.5 | 87.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.5 | 71.0 | 92.5 | 80.0 | 68.5 | | | | |
| Apr. | 2 | 99.0 | 92.5 | 87.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.5 | 71.0 | 92.5 | 80.0 | 68.5 | | | | |
| | 9 | 99.0 | 92.5 | 87.0 | 94.0 | 94.0 | 94.0 | 89.0 | 84.0 | 81.0 | 75.0 | 74.0 | 73.5 | 71.0 | 92.5 | 80.0 | 68.5 | | | | |
| | 16 | 96.5 | 89.5 | 85.0 | 91.5 | 91.5 | 91.5 | 87.0 | 83.0 | 79.0 | 74.0 | 73.5 | 73.5 | 71.0 | 89.5 | 79.0 | 68.5 | | | | |
| | 23 | 89.5 | 84.0 | 80.0 | 85.5 | 85.5 | 85.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 68.5 | | | | |
| | 30 | 89.5 | 84.0 | 80.0 | 85.5 | 85.5 | 85.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| May | 6 | 88.5 | 84.0 | 80.0 | 84.5 | 84.5 | 84.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| | 13 | 88.5 | 83.5 | 80.0 | 84.5 | 84.5 | 84.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| | 20 | 88.5 | 83.5 | 80.0 | 83.5 | 83.5 | 83.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| | 27 | 88.5 | 83.5 | 80.0 | 83.5 | 83.5 | 83.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| June | 4 | 88.5 | 83.5 | 80.0 | 83.5 | 83.5 | 83.5 | 81.0 | 77.0 | 74.0 | 71.0 | 71.0 | 73.5 | 71.0 | 86.0 | 79.0 | 67.0 | | | | |
| | 11 | 88.5 | 83.5 | 76.5 | 83.5 | 83.5 | 83.5 | 81.0 | 75.0 | 72.0 | 69.0 | 69.0 | 71.0 | 69.0 | 82.5 | 71.0 | 64.0 | | | | |
| | 18 | 88.5 | 83.5 | 76.5 | 84.0 | 84.0 | 84.0 | 81.0 | 75.0 | 72.0 | 69.0 | 69.0 | 71.0 | 69.0 | 82.5 | 71.0 | 64.0 | | | | |
| | 25 | 88.5 | 83.5 | 76.5 | 84.0 | 84.0 | 84.0 | 81.0 | 75.0 | 72.0 | 69.0 | 69.0 | 71.0 | 69.0 | 82.5 | 71.0 | 64.0 | | | | |
| | 1 | 88.5 | 82.5 | 76.5 | 84.0 | 84.0 | 84.0 | 81.0 | 75.0 | 72.0 | 69.0 | 69.0 | 71.0 | 69.0 | 82.5 | 71.0 | 64.0 | | | | |
| | 8 | 88.5 | 82.5 | 76.5 | 84.0 | 84.0 | 84.0 | 81.0 | 75.0 | 72.0 | 69.0 | 69.0 | 71.0 | 69.0 | 82.0 | 71.0 | 67.0 | | | | |
| | 15 | 91.0 | 85.5 | 81.0 | 86.5 | 83.5 | 78.5 | 78.5 | 73.5 | 74.5 | 71.0 | 70.0 | 71.5 | 69.0 | 82.5 | 76.5 | 67.0 | | | | |
| | 22 | 91.0 | 85.5 | 81.0 | 86.5 | 83.5 | 78.5 | 78.5 | 73.5 | 74.5 | 71.0 | 70.0 | 71.5 | 69.0 | 82.5 | 76.5 | 67.0 | | | | |
| | 29 | 91.0 | 84.5 | 81.0 | 87.0 | 83.5 | 78.5 | 78.5 | 73.5 | 74.5 | 71.0 | 70.0 | 71.5 | 69.0 | 82.5 | 76.5 | 67.0 | | | | |

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

8D 7/ Bsw

Domestic wool: Weekly average prices at Boston, 1940
(Cents per pound)

Scoured Basis

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U.S. Department of Agriculture

| Week ended | Territory 1/ | | | Territory 2/ (Original Basis) | | |
|------------|------------------|------------|------|-------------------------------|------------------|--------------------------------------|
| | 64's, 70's, 80's | 58's, 60's | 56's | 48's, 50's | 46's, 36's, 40's | French : Combing : Clothing : (Fall) |
| July 6 | 89.0 | 83.5 | 79.5 | 86.0 | 77.0 | 76.0 |
| 13 | 89.0 | 83.5 | 79.5 | 86.0 | 77.0 | 76.0 |
| 20 | 88.0 | 83.5 | 79.5 | 86.0 | 81.5 | 77.0 |
| 27 | 88.0 | 83.5 | 79.5 | 86.0 | 77.0 | 75.0 |
| Aug. 3 | 88.0 | 83.5 | 79.5 | 84.0 | 81.0 | 77.0 |
| 10 | 88.0 | 83.5 | 79.5 | 84.0 | 81.0 | 77.0 |
| 17 | 89.0 | 84.5 | 79.5 | 84.0 | 81.0 | 77.0 |
| 24 | 89.0 | 84.5 | 79.5 | 84.0 | 81.0 | 77.0 |
| 31 | 90.0 | 85.5 | 81.0 | 86.5 | 83.5 | 79.0 |
| Sept. 7 | 90.0 | 86.5 | 81.5 | 86.5 | 83.5 | 79.0 |
| 14 | 91.0 | 86.5 | 81.5 | 86.5 | 83.5 | 79.0 |
| 21 | 93.5 | 87.0 | 83.0 | 88.0 | 85.0 | 81.0 |
| 28 | 95.0 | 90.0 | 85.0 | 90.0 | 87.0 | 83.0 |
| Oct. 5 | 97.0 | 94.0 | 91.0 | 92.0 | 89.0 | 85.0 |
| 12 | 100.0 | 94.5 | 91.0 | 94.0 | 90.0 | 86.0 |
| 19 | 108.5 | 102.5 | 94.5 | 104.0 | 99.5 | 92.5 |
| 26 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| Nov. 2 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| 9 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| 16 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| 23 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| 30 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| Dec. 7 | 108.5 | 104.5 | 97.5 | 104.0 | 99.5 | 92.5 |
| 14 | 108.5 | 103.5 | 96.5 | 103.0 | 98.5 | 91.5 |
| 21 | 108.5 | 103.5 | 96.5 | 103.0 | 98.5 | 91.5 |
| 28 | 108.5 | 103.5 | 96.5 | 103.0 | 98.5 | 91.5 |

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

